

Printing date 23.01.2024 Version number 304 (replaces version 303) R

Revision: 23.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600072
- · Trade name: Creeping oil E-COLL
- · Article number: 4317784349383
- · UFI: 2C2A-0WYV-690D-GGT8
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumersSU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture Lubricating oil

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH
 EDE Platz 1
 D-42389 Wuppertal
 Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

(Contd. of page 1)

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27-xxxx	White mineral oil, petroleum	25-50%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	10-<25%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	10-<25%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane, pure Flam. Gas 1A, H220 Press. Gas (Comp.), H280	10-<25%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation: Supply fresh air.



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

(Contd. of page 2)

- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Open and handle receptacle with care. Use only in well ventilated areas.

(Contd. on page 4)



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

(Contd. of page 3)

· Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 8042-47-5 White mineral oil, petroleum

DermalLong term value for employees220 mg/kg bw/Tag (professional use)InhalativeLong term value for employees160 mg/m³ (professional use)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection
- Material of gloves
 Nitrile rubber, NBR



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

(Contd. of page 4)

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses
- Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical General Information 	properties	
· Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and boiling	Shacterninea.	
range	Not applicable, as aerosol.	
·Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	0.9 Vol %	
· Upper:	10.9 Vol %	
· Flash point:	Not applicable, as aerosol.	
· Auto-ignition temperature:	365 °C	
Decomposition temperature:	Not determined.	
• pH	Not determined.	
· Viscosity:		
 Kinematic viscosity 	Not determined.	
 Kinematic: 23 °C - 4 mm (ISO 2431) 		
· Dynamic:	Not determined.	
· Solubility		
· water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure at 20 °C:	4200 hPa	
Density and/or relative density		
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· 9.2 Other information		
· Appearance:		
· Form:	Aerosol	
· Important information on protection of health		
and environment, and on safety.		
· Ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Not determined.	
Solvent separation test:		
Organic solvents:	50.0 %	
		(Contd. c



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

	(Contd. of page 5)
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
 Oxidising gases 	Void
 Gases under pressure 	Void
 Flammable liquids 	Void
 Flammable solids 	Void
 Self-reactive substances and mixtures 	Void
 Pyrophoric liquids 	Void
· Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
 Oxidising liquids 	Void
 Oxidising solids 	Void
 Organic peroxides 	Void
 Corrosive to metals 	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

. . .

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met. ...

	· LD/LC50 values relevant for classification:			
	CAS: 804	42-47-5 W	/hite mineral oil, petroleum	
	Oral	LD50	>5,000 mg/kg (rat)	
	Dermal	LD50	>5,000 mg/kg (rabbit)	
1				(Contd. on page 7)



Printing date 23.01.2024

Version number 304 (replaces version 303)

Trade name: Creeping oil E-COLL

(Contd. of page 6)

CAS: 74-98-6 propane		
Inhalative	LC50/4h	>20 mg/m ³ (rat)
CAS: 106-97-8 butane, pure		
Inhalative	LC50/4h	658 ppm (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties None of the ingredients is listed.

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:
- CAS: 75-28-5 isobutane
- EC50 (48h) 69.43 mg/L (daphnia)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

(Contd. on page 8)



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

(Contd. of page 7)

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

16 05 04* gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

 · 14.1 UN number or ID number · ADR, IMDG, IATA 	UN1950
 14.2 UN proper shipping name ADR IMDG IATA 	UN1950 AEROSOLS AEROSOLS AEROSOLS, flammable
 14.3 Transport hazard class(es) 	
ADR	
· Class · Label	2 5F Gases. 2.1
· IMDG, IATA	
Class	2.1 Gases.
· Label	2.1
 · 14.4 Packing group · ADR, IMDG, IATA 	Void (Contd. on page 9)



Printing date 23.01.2024 Version number 304 (replaces version 303) Revision: 23.01.2024

Trade name: Creeping oil E-COLL

	(Contd. of page 8)
 · 14.5 Environmental hazards: · Marine pollutant: 	Νο
 · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: 	Warning: Gases. - F-D,S-U
 · 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Transport category Tunnel restriction code UN "Model Regulation": 	1L 2 D UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- · Hazard statements
- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I Methanol
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t



Printing date 23.01.2024

Version number 304 (replaces version 303)

Revision: 23.01.2024

Trade name: Creeping oil E-COLL

(Contd. of page 9)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways.

· Department issuing SDS: Product safety department

- · Contact: Head of Product Safety Department
- · Date of previous version: 23.01.2024
- · Version number of previous version: 303

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Asp. Tox. 1: Aspiration hazard - Category 1

• * Data compared to the previous version altered.

EU -