

Printing date 19.02.2024 Version number 304 (replaces version 303)

Revision: 19.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600145
- · Trade name: Activator Spray E-COLL
- · Article number: 4317784341691
- · UFI: EYYQ-Q4EH-QC02-PX93

#### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### · Sector of Use

SU21 Consumer uses: Private households / general public / consumersSU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Activator

#### · 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

#### **SECTION 2: Hazards identification**

## · 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Aerosol 1	H222-H22	9 Extremely flammable aerosol. Pressurised container: May burst if heated.
Skin Irrit. 2	H315	Causes skin irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.
Aquatic Chronic 2	2 H411	Toxic to aquatic life with long lasting effects.

## · 2.2 Label elements

### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

### Trade name: Activator Spray E-COLL

(Contd. of page 1)

- · Signal word Danger
- · Hazard-determining components of labelling:

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

#### · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

## · Description: Mixture of substances listed below with nonhazardous additions.

٠D	angero	us con	nponent	s:
----	--------	--------	---------	----

EC number: 927-510-4 Reg.nr.: 01-2119484651-33-XXXX	hydrocarbons, C7-C9, n-alkanes, isoalkanes,cyclics Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336	50-100%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane, pure Flam. Gas 1A, H220 Press. Gas (Comp.), H280	25-50%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220 Acute Tox. 1, H330 Press. Gas (Comp.), H280	2.5-10%
	(Con	td. on page 3)



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

### Trade name: Activator Spray E-COLL

	(Co	ntd. of page 2)
CAS: 75-28-5	isobutane	2.5-10%
EINECS: 200-857-2	🚸 Flam. Gas 1A, H220	1
Index number: 601-004-00-0	Press. Gas (Comp.), H280	
Reg.nr.: 01-2119485395-27-xxxx		
CAS: 99-97-8	N,N-dimethyl-p-toluidine	0.1-<1%
EINECS: 202-805-4 Index number: 612-056-00-9	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	🚯 STOT RE 2, H373	
	Aquatic Chronic 3, H412	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### · General information:

Personal protection for the First Aider. Immediately remove any clothing soiled by the product.

### · After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

### Trade name: Activator Spray E-COLL

(Contd. of page 3)

### · 5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

#### · Additional information

Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

#### • 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

#### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Open and handle receptacle with care. Use only in well ventilated areas.

#### · Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Store away from oxidising agents.



Printing date 19.02.2024

Version number 304 (replaces version 303)

Trade name: Activator Spray E-COLL

(Contd. of page 4)

- Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the skin.

#### • **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation. Short term filter device: Filter A/P2

Hand protection



Protective gloves

• Material of gloves Nitrile rubber, NBR Recommended thickness of the material:  $\geq 0.4$  mm

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 6)



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

Trade name: Activator Spray E-COLL

(Contd. of page 5)

Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties			
· General Information	properties		
· Colour:	Clear		
· Odour:	Characteristic		
· Odour threshold:	Not determined.		
· Melting point/freezing point:	Undetermined.		
· Boiling point or initial boiling point and boiling			
range	Not applicable, as aerosol.		
· Flammability	Not applicable.		
· Lower and upper explosion limit			
· Lower:	1.5 Vol %		
· Upper:	8.5 Vol %		
· Flash point:	Not applicable, as aerosol.		
<ul> <li>Auto-ignition temperature:</li> </ul>	365 °C		
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.		
∙рН	Not determined.		
· Viscosity:			
· Kinematic viscosity	Not determined.		
<ul> <li>Kinematic: 23 °C - 4 mm (ISO 2431)</li> </ul>			
· Dynamic:	Not determined.		
Solubility			
water:	Not miscible or difficult to mix.		
• Partition coefficient n-octanol/water (log value)	Not determined.		
· Vapour pressure at 20 °C:	2500 hPa		
Density and/or relative density	0.000 s/ses3		
· Density at 20 °C:	0.638 g/cm <sup>3</sup>		
· Relative density	Not determined. Not determined.		
· Vapour density	Not determined.		
· 9.2 Other information			
· Appearance:			
· Form:	Aerosol		
· Important information on protection of health			
and environment, and on safety.			
Ignition temperature:	Product is not selfigniting.		
Explosive properties:	Not determined.		
Solvent separation test:			
· Organic solvents:	99.6 %		
· VOC (EC) %	635,7 g/l		
· VOC (EC) g/l			
· VOCV (CH)	99,64 %		
· Change in condition			
· Drip point:			
Oxidising properties	Not determined.		
· Evaporation rate	Not applicable.		



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

## Trade name: Activator Spray E-COLL

(Contd. of page 6)

<ul> <li>Information with regard to physical hazard</li> </ul>	
classes	
<ul> <li>Explosives</li> </ul>	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
<ul> <li>Oxidising gases</li> </ul>	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
<ul> <li>Pyrophoric liquids</li> </ul>	Void
<ul> <li>Pyrophoric solids</li> </ul>	Void
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void
· Substances and mixtures, which emit flamma	ble
gases in contact with water	Void
<ul> <li>Oxidising liquids</li> </ul>	Void
<ul> <li>Oxidising solids</li> </ul>	Void
<ul> <li>Organic peroxides</li> </ul>	Void
<ul> <li>Corrosive to metals</li> </ul>	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION** 11: Toxicological information

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

## CAS: 106-97-8 butane, pure

Inhalative LC50/4h 658 ppm (rat)

# CAS: 74-98-6 propane

Inhalative LC50/4h >20 mg/m<sup>3</sup> (rat)

(Contd. on page 8)



Printing date 19.02.2024

Version number 304 (replaces version 303)

### Trade name: Activator Spray E-COLL

(Contd. of page 7)

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

#### • **STOT-single exposure** May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

#### · Aspiration hazard

May be fatal if swallowed and enters airways.

 $\cdot$  11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 75-28-5 isobutane

EC50 (48h) 69.43 mg/L (daphnia)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

## · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

• Remark: Toxic for fish



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

### Trade name: Activator Spray E-COLL

(Contd. of page 8)

EU -

#### · Additional ecological information:

## · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Toxic for aquatic organisms Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

**SECTION 13: Disposal considerations** 

#### · 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

### · European waste catalogue

16 05 04\* gases in pressure containers (including halons) containing hazardous substances

15 01 10\* packaging containing residues of or contaminated by hazardous substances

SEC	TION	14· T	ransi	oort in	formatior	1
			ano		ormation	

# · 14.1 UN number or ID number · ADR, IMDG, IATA UN1950 · 14.2 UN proper shipping name · ADR UN1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS · IMDG AEROSOLS, MARINE POLLUTANT IATA **AEROSOLS** · 14.3 Transport hazard class(es) · ADR · Class 2 5F Gases. · Label 2.1 \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ · IMDG Class 2 Gases. (Contd. on page 10)



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

## Trade name: Activator Spray E-COLL

· Label	(Contd. of page 9) 2.1
·IATA	
· Class	2 Gases.
· Label	2.1
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>• 14.5 Environmental hazards:</li> <li>• Marine pollutant:</li> </ul>	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
<ul> <li>• 14.6 Special precautions for user</li> <li>• EMS Number:</li> </ul>	Warning: Gases. F-D,S-U
· 14.7 Maritime transport in bulk according to instruments	o IMO Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>UN "Model Regulation":</li> </ul>	1L 2 D UN1950, AEROSOLS, ENVIRONMENTALLY HAZARDOUS, 2.1

## **SECTION 15: Regulatory information**

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labelling:

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

```
· Hazard statements
```

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

(Contd. on page 11)

EU



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

#### Trade name: Activator Spray E-COLL

(Contd. of page 10)

- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P260 Do not breathe spray.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Methanol
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- Date of previous version: 19.02.2024
- Version number of previous version: 303

### · Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)



Printing date 19.02.2024

Version number 304 (replaces version 303)

Revision: 19.02.2024

Trade name: Activator Spray E-COLL

(Contd. of page 11)

EU —

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 1: Acute toxicity – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

 $\cdot$  \* Data compared to the previous version altered.