


Montageanleitung





Assembly Instruction

V064.9

Schiebetür 2-teilig „Vario“


2-part sliding door „Vario“





									
1 x 104836	2 x 106170	2 x 106169	1 x	4 x M6x22 106293	4 x 102408	4 x 103674	1 x 106343	1 x 106342	1 x 107200

9



Oberkante Glas muss immer geschützt sein! Bruchgefahr!
Upper glass edge need to be covered always! Risk of breaking!




Rollenhalter in regelmäßigen Abständen kontrollieren!
Check roller holders at regular intervals!

10


Griffmontage
Handle mounting

11



1 x
103813

12 **OPTION**





A technical line drawing of a window assembly. On the left is a grey roller shutter with a curved bottom edge. It is mounted on a horizontal track at the top and a vertical guide on the right. A crank handle is attached to the right side of the shutter. To the right of the shutter is a window with a grid of panes. The crank handle is positioned to operate the shutter.

[illegible]

**Klebefläche
reinen (staub-
und fettfrei)!**
Clean glue sur-
face (free of dust
and grease)!

A

Kein Silikon
No silicone

6

OPTIONAL

A circular prohibition sign with a diagonal slash. Inside the circle is a heat gun icon and the text "24h".

OPTION

OPTION